



EN62479 TEST REPORT

Product : Digital Broadcasting Device
(iBeacon/Eddystone)

Trademark :  **cubeacon**

Model Name : CB10026CR

Report No. : BCTC-LH170903647-1E

Prepared for

PT. Eyro Digital Teknologi

Jl. Amir Mahmud IX/23 Gunung Anyar. Surabaya 60294. Indonesia.

Prepared by

Shenzhen BCTC Testing Co., Ltd.

BCTC Building & 1-2F, East of B Building, Pengzhou Industrial, Fuyuan 1st Road, Qiaotou Community, Fuyong Street, Bao'an District, Shenzhen, China

Tel: 86-400-788-9558,86-0755-33019988

Web: [Http://www.bctc-lab.com.cn](http://www.bctc-lab.com.cn)



TEST RESULT CERTIFICATION

Applicant's name..... : PT. Eyro Digital Teknologi
Address..... : Jl. Amir Mahmud IX/23 Gunung Anyar. Surabaya 60294. Indonesia
Manufacture's Name..... : PT. Eyro Digital Teknologi
Address..... : 6th Floor, H Building, Gangzhilong Science Park, Qinglong Road, Longhua District, Shenzhen, China

Product description

Product name: Digital Broadcasting Device (iBeacon/Eddystone)
Trademark: 

Model and/or type reference : CB10026CR

Serial Model: CB10026CR

Standards.....: EN 62479:2010

This device described above has been tested by BCTC, and the test results show that the equipment under test (EUT) is in compliance with the 2014/53/EU RED Directive Art.3.1(a) requirements. And it is applicable only to the tested sample identified in the report.

This report shall not be reproduced except in full, without the written approval of BCTC, this document may be altered or revised by BCTC, personal only, and shall be noted in the revision of the document.

Date of Test.....:
Date (s) of performance of tests.....: Sep. 06 - Sep. 13, 2017
Date of Issue.....: Sep. 13, 2017
Test Result.....: **Pass**

Prepared by(Engineer): Snow Zeng 
Reviewer(Supervisor): Jade Yang 
Approved(Manager): Carson Zhang 



This test report is based on a single evaluation of one sample of above mentioned products. It is not permitted to be duplicated in extracts without written approval of Shenzhen BCTC Testing Co., Ltd.



Table of Contents	Page
1 . GENERAL INFORMATION	4
1.1 GENERAL DESCRIPTION OF EUT	4
2 .EN 62479 REQUIREMENT	5
2.1 GENERAL INFORMATION	5
2.2 LIMIT	5
3. RESULT	6



1. GENERAL INFORMATION

1.1 GENERAL DESCRIPTION OF EUT

EUT Name	:	Digital Broadcasting Device (iBeacon/Eddystone)
Model No.	:	CB10026CR
Serial Model	:	CB10026CR
Model Difference	:	All the same, Only model name is different
Trademark	:	
Power	:	DC3V
Operation frequency	:	2402MHz-2480MHz
Modulation	:	GFSK, $\pi/4$ -DQPSK, 8-DPSK
Antenna Type	:	PCB Antenna, Maximum Gain is 2dBi
Intend use environment	:	Residential, commercial and light industrial environment

Note:

For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.



2.EN 62479 REQUIREMENT

2.1 GENERAL INFORMATION

According to its specifications, the EUT must comply with the requirements of the following standards:

EN 62479: 2010 [Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)]

2.2 LIMIT

A. Typical usage, installation and the physical characteristics of equipment make it inherently compliant with the applicable EMF exposure levels such as those listed in the bibliography. This low-power equipment includes unintentional (or non-intentional) radiators, for example incandescent light bulbs and audio/visual (A/V) equipment, information technology equipment (ITE) and multimedia equipment (MME) that does not contain radio transmitters.

NOTE Equipment is described as A/V equipment, ITE or MME if its main use is playback/recording of music, voice or images, or processing of digital information.

B. The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in 4.2.

C. The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in 4.2.

D. Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in 4.2.



3. RESULT

The available antenna power of this EUT is 1.954 **mW(2.91dBm)**, the power are below the low-power exclusion level defined in 4.2(Pmax: 20mW).”